



**A T E N Z Z A**  
**Outdoor Collections**

# ATENZZA

## ART. "SOL" - TOLDO/ AWNING 120 CM




# ATENZZA

## ART. "SOL" - TOLDO/ AWNING 120 CM



# ATENZZA

## ART. "SOL RAYA" - TOLDO/ AWNING 120 CM



AT RAYA 4040 NAVAL



AT RAYA 34 BLANCO-NEGRO / WHITE-GREY



AT RAYA 4038 AZUL NEUTRO



AT RAYA 5360 BOTELLA / BOTTLE



AT RAYA 288 MASELLA



AT RAYA 4330 MARRON / BROWN



AT RAYA 4104 NARANJA / ORANGE



AT RAYA 4298 MARRON



AT RAYA 446 PEREDA



AT RAYA 504 VAINILLA-BEIGE / VANILLA-BEIGE



AT RAYA 110 BLANCO-AMARILLO / WHITE-YELLOW



AT RAYA 122 BLANCO-GRIS / WHITE-GREY



AT RAYA 332 FOXI



AT RAYA 32 BLANCO-AZUL / WHITE-BLUE



AT RAYA 28 BLANCO-VERDE / WHITE-GREEN



AT RAYA 412 CABANUELAS



AT RAYA 112 BLANCO-MARRON / WHITE-BROWN



AT RAYA 24 BLANCO-ROJO / WHITE-RED



AT RAYA 422 FALAFE



AT RAYA 115 OCRE-MARRON / OCHER-BROWN



AT RAYA 1260 ZAIYARA



MUESTRA DIBUJO / DESIGN SAMPLE



### Sobre Nosotros:

Atenza Outdoor SL, es la continuación de una empresa familiar dedicada al textil desde 1939, concebida para la producción y comercialización de Productos Textiles enfocados a la Decoración, tanto interior como exterior y a tejidos técnicos para la protección solar.

### About Us:

Atenza Outdoor SL, is the continuation of a family business, being on the textile trade since 1939. The company is created especially for the production and commercialization of Decoration Textiles Products for Indoor and Outdoor use, as well as technical production fabrics for the solar protection.



### Nuestras Lonas:

Nuestros productos para la protección solar están producidos con FIBRA ACRILICA TINTADA EN MASA, garantizando la máxima solidez al color así como la durabilidad en el tiempo, ofreciendo una garantía de 5 años (\*ver condiciones de garantía).

Las lonas de diseño para toldo aumentan su repelencia al agua sin perder transpirabilidad. Todas nuestras lonas llevan impregnado un acabado que les otorga una gran resistencia a las manchas, incrementa la estabilidad del color y alarga la vida de la lona.

Las lonas se ofrecen con una garantía de 5 años, frente a una normal exposición al sol y a los agentes atmosféricos en general. Consulte los términos de la garantía en [www.atenzaoutdoor.com](http://www.atenzaoutdoor.com).

### Our Fabrics:

Our collection of Canvases for Solar Protection is produced with SOLUTION DYED ACRYLIC FIBERS, that means that the coloured pigments impregnate the polymer before the process of formation of the fibre. With this process we get a high resistance to wear and an excellent colour fastness.

This dying process allow us to ensure an exceptional behaviour in outdoor conditions; guaranteeing the maximum resistance of the colour, as well as a long durability in time, offering a warranty of 5 years provided there is a normal exposure to the sun and atmospheric agents in general (\*see conditions of guarantee)

Our fabrics increase its water repellence without losing breathability. All our fabrics are impregnated with a finish that gives them great resistance to stains, increases the stability of the color and lengthens the life of the canvas.



### Garantía:

La alta calidad de las materias primas empleadas en la fabricación de las nuestras lonas, y los rigurosos procedimientos de control de calidad aplicados durante todo el proceso de producción, nos permiten ofrecer una garantía de 5 años en todos los productos de 100% fibra acrílica teñida en masa.

Esta garantía cubre el deterioro de la lona, putrefacción, hongos y pérdida del color de la misma en condiciones atmosféricas normales. Esta garantía no cubre ningún deterioro debido a abusos, negligencia, agujeros, quemaduras, etc. Asimismo, no cubre el desgaste normal, ensuciamiento y manchas procedentes de la contaminación atmosférica y las condiciones del entorno.

El producto debe estar correctamente instalado y sometido a un mantenimiento adecuado. La garantía, en caso de aplicación, no cubre los costes de montaje y fabricación.

### Warranty:

The high quality of the materials used to produce our Fabrics, and the rigorous quality control applied during al the production process allow us to offer you a 5-year warranty in our 100% solution dyed acrylic products.

The warranty covers against the loss of characteristics, mildew, rots, and the discoloration to the normal exposure to the sun and atmospheric agents in general.

This warranty this not apply to abusive use, negligence, holes, burnings, etc.

Stains from environmental pollution, normal wear, weather soiling, are not covered.

The products must be properly installed and maintained.

The warranty, if applicable, does not cover, labour, frames systems and installation.

### Mantenimiento:

Eliminar la suciedad mediante cepillado o aspirado suave de la lona

En caso de manchas persistentes, se puede utilizar eventualmente una solución de agua fría y jabón neutro. Aplicarlo sobre la lona y luego aclarar con abundante agua.

Dejar secar totalmente la lona.

No utilizar disolvente ni detergente abrasivos.

### Maintenance:


Eliminate dirt by gently brushing or soft vacuuming the fabric

In case of persistent stains, you can eventually use a cold water and soft soap solution

Apply to the fabric and then rinse with running water.

Let the fabric dry completely.

Do not use solvents or abrasive detergents.



### Proceso De Acabado:

Nuestras lonas están tratadas según un proceso de alta tecnología para asegurar la calidad de los tejidos. Tras el tratamiento, la superficie de las fibras del tejido queda permanentemente protegidas frente a la acumulación de la suciedad y a los efectos adversos de una amplia variedad de agentes atmosféricos.

Este proceso le confiere al toldo una protección duradera, especialmente frente a los hongos proporcionando a su vez, una excelente repelencia al agua y al aceite.

### Finishing Process:

Our fabrics are treated with a process of high technology to ensure the quality of the fabrics. Once finished the fibres get completely covered forming a permanent coat that protects the fabric against dirtiness and adverse effects of the atmospheric agents.

This process endows a long-term protection to the awning.

### Marine:

Nuestra colección Marine está pensada para su uso en el segmento de la Náutica. La lona Marine ofrece una alta resistencia a los rayos UV, una alta impermeabilidad al agua, alta permeabilidad al aire, y unas excelentes propiedades anti-moho.

Además de estas características, por su ligereza y junto con nuestro acabado especial resinado conseguimos, una alta resistencia al marcado de las arrugas que se producen en el momento de la confección,

El acabado especial resinado proporciona a las nuestras lonas Marine unas una larga durabilidad y una resistencia a la columna de agua superior a 1000mm.

Su amplia gama de color la convierte en una lona ideal cuando se necesitan excelentes resultados frente al agua.

### Marine:

Our collection Marine is produced in order to give a high performance in most of the application of the Nautical Sector. Our fabric has a high resistance to UV radiation, to the sea water, permeability to air, anti-mould properties. In addition, and thanks to our special finishing process and light weight, we avoid the wrinkles that could be produced during the manufacturing process.

Our special resin- coated finishing, provides to our Quality Marine a long life and a high impermeability, with a water column over 1000 mm.

Our extensive range of colours makes its perfect for its use when a high resistance to water is required.



# ATENZZA

## TABLA / TABLE

NOMBRE/NAME	CÓDIGO/ CODE	ANCHO/ WIDTH	UV
ABISMO / ABYSS BLUE	AT 348	120/150 cm	80
ALABAS	AT 16314	120/150 cm	40
ALMIRANTE /ADMIRAL BLUE	AT 340	120/150 cm	80
AMARILLO / YELLOW	AT 1108	120/150 cm	80
ANTRACITA / ANTRACITE	AT 328	120/150 cm	80
ARENA	AT 360	120/150 cm	60
ARGENTA	AT 246	120/150 cm	80
ATLANTICO / ATLANTIC BLUE	AT 398	120/150 cm	80
AVENA / OATS	AT 4592	120/150 cm	40
AZUL / BLUE	AT 344	120/150 cm	80
AZUL ACERO / BLUE STEEL	AT 338	120/150 cm	80
AZUL FUERTE / STRONG BLUE	AT 346	120/150 cm	80
AZUL MARINE / NAVY BLUE	AT 350	120/150 cm	80
BASALTO / BASALT	AT 4654	120/150 cm	80
BEIGE	AT 200	120/150 cm	80
BEIGE SUAVE / SOFT BEIG BEIGE	AT 4076	120/150 cm	60
BLANCO / WHITE	AT 4048	120/150 cm	40
BLANCO SUAVE / SOFT WHITE	AT 198	120/150 cm	40
CACAO / COCOA	AT 390	120/150 cm	80
CAFÉ / COFFEE	AT 362	120/150 cm	80
CANELA / CINNAMON	AT 266	120/150 cm	60
CAÑAMO / HEMP	AT 286	120/150 cm	80
CAVA	AT 226	120/150 cm	60
CELESTE / LIGHT BLUE	AT 386	120/150 cm	80
CHAMPAGNE	AT 214	120/150 cm	60
CREMA / CREAM	AT 230	120/150 cm	60
CREMOSO / CREAMY	AT 4644	120/150 cm	60
CRUDO / RAW	AT 234	120/150 cm	40
DESIERTO / DESERT	AT 296	120/150 cm	60
DUNA / DUNE	AT 238	120/150 cm	80
ESMERALDA / EMERALD	AT 284	120/150 cm	80
ESPUMANTE	AT 5652	120/150 cm	60
FLAME ARENA	AT 1588	120/150 cm	60
FLAME BEIGE	AT 1582	120/150 cm	80
GRAFI	AT 7204	120/150 cm	80
GRAFITO / GRAPHITE	AT 224	120/150 cm	80
GRIS / GREY	AT 322	120/150 cm	80
GRIS OCURO / DARK GREY	AT 300	120/150 cm	80
GRISACEO / GRAYISH	AT 4204	120/150 cm	80
KAKI	AT 324	120/150 cm	80
LAVANDA / LAVENDER	AT 17570	120/150 cm	80

NOMBRE/NAME	CÓDIGO/ CODE	ANCHO/ WIDTH	UV
LIMON / LEMON	AT 376	120/150 cm	40
LINO / LINEN	AT 244	120/150 cm	40
MAIZ / CORN	AT 1108	120/150 cm	80
MARFILE	AT 4286	120/150 cm	60
MARMOL / MARBLE	AT 830	120/150 cm	60
MARRÓN / BROWN	AT 312	120/150 cm	80
NATURALE / NATURALE	AT 5852	120/150 cm	40
NEGRO / BLACK	AT 206	120/150 cm	80
NUBE / CLOUD	AT 276	120/150 cm	80
NUEZ / NUT	AT 252	120/150 cm	40
PERLA / PEARL	AT 228	120/150 cm	40
PERLÉ	AT 5958	120/150 cm	40
PISTACHO / PISTACHIO	AT 320	120/150 cm	80
ROCA / ROCK	AT 254	120/150 cm	80
SAND	AT 4548	120/150 cm	60
SEDA / SILK	AT 5192	120/150 cm	60
SILVER	AT 5642	120/150 cm	40
TENERIFE	AT 290	120/150 cm	60
TITANIO / TITANIUM	AT 392	120/150 cm	80
TOSTADO / TOASTED	AT 278	120/150 cm	80
TRIGO / WHEAT	AT 242	120/150 cm	60
TURQUESA / TURQUOISE	AT 342	120/150 cm	80
TWEED BEIGE	AT 1558	120/150 cm	80
TWEED GRIS / TWEED GREY	AT 1400	120/150 cm	80
TWEED HUMO / TWEED SMOKE	AT 1448	120/150 cm	80
TWEED LINO	AT 1150	120/150 cm	80
TWEED VISON / TWEED TAUPE	AT 1552	120/150 cm	80
VAIN	AT 5374	120/150 cm	60
VAINILLA / VANILLA	AT 216	120/150 cm	60
VERDE / GREEN	AT 326	120/150 cm	80
VERDE MUSGO / MOSS GREEN	AT 204	120/150 cm	80
VISON / TAUPE	AT 304	120/150 cm	80
ZAFIRO / SAPPHIRE	AT 458	120/150 cm	80
ZURICH	AT 4510	120/150 cm	40

- Estabilidad dimensional / *Dimensional stability*
- Rápido secado / *Quick drying*
- Transpirable / *Breathable*
- Repelente al agua / *Water repellent*
- Antibacteria / *Antibacterial*
- Climático / *Climatic*
- Máxima resistencia / *Maximun resistance*
- Anti-manchas / *Non-stain*
- Anti-UVI / *Anti-UVI*
- Doble cara / *Reversible*
- Producción respetuosa / *Production that respects the environment*
- Fácil mantenimiento / *Easy to maintain*

## SOL

### Toldo - Awning

CARACTERÍSTICAS DEL TEJIDO / FABRIC CHARACTERISTICS		
Composición / Composition	100% Fibra acrílica teñida en masa / 100% Solution dyed Acrylic	
Tipo de tejido / Type of textile	Acrílico semi-impermeable / Acrylic highly water resistant	
Acabado / Finish	Resinado a 1 cara. Tratamiento especial "Infinity" para toldos: repele el agua y la suciedad generando una barrera anti-manchas y anti-moho, permitiendo transpirar a la lona / Resin coated one side. Special Infinity treatment for Awning applications. Anti-stain, rot-proof water repellent and breathable.	BS 7209
Uso / Use	Exterior / Outdoor	
CARACTERÍSTICAS TÉCNICAS / TECHNICAL FEATURES		
Peso / Weight	300 g/m <sup>2</sup> ± 5%	UNE-EN 12127
Espesor / Thickness	0,55 mm	UNE-EN ISO 5084
Ancho / Width	120 /152 cm ± 1%	
Longitud de pieza / Standard Roll Length	60 m	
Columna de agua / Water column	≥ 1000 mm	UNE-EN ISO 20811
Resistencia a la Tracción (Urdimbre / Trama) / Tensile Strength (Warp / Weft)	155/90 daN/5 cm ± 5%	UNE-EN ISO 13934-1
Resistencia al Desgarro (Urdimbre / Trama) / Tear Strength (Warp / Weft)	4/3 daN ± 10 %	UNE-EN ISO 13937-2
Solidez del color a la luz artificial - Xenotest / Colour fastness to artificial light - Xenotest	7-8	UNE-EN ISO 105 B02
Solidez del color a la intemperie artificial - Xenotest / Colour fastness to artificial weathering - Xenotest	4-5	UNE-EN ISO 105 B04
Repelencia al aceite / Oil Repellency	≥ 4	UNE-EN ISO 14419
Repelencia al agua / Water Repellency	≥ 4	UNE-EN ISO 4920

## MARINE

### Toldo - Awning

#### Náutica / Nautical use

CARACTERÍSTICAS DEL TEJIDO / FABRIC CHARACTERISTICS		
Composición / Composition	100% Fibra acrílica teñida en masa / 100% Solution dyed Acrylic	
Tipo de tejido / Type of textile	Acrílico semi-impermeable / Acrylic highly water resistant	
Acabado / Finish	Resinado a 1 cara. Repele el agua y la suciedad generando una barrera anti-manchas y anti-moho, permitiendo transpirar a la lona / Resin coated one side. Anti-stain, rot-proof water repellent and breathable.	BS 7209
Uso / Use	Exterior / Outdoor	
CARACTERÍSTICAS TÉCNICAS / TECHNICAL FEATURES		
Peso / Weight	330 g/m <sup>2</sup> ± 5%	UNE-EN 12127
Espesor / Thickness	0,55 mm	UNE-EN ISO 5084
Ancho / Width	120 /152 cm ± 1%	
Longitud de pieza / Standard Roll Length	60 m	
Columna de agua / Water column	≥ 1000 mm	UNE-EN ISO 20811
Resistencia a la Tracción (Urdimbre / Trama) / Tensile Strength (Warp / Weft)	155/90 daN/5 cm ± 5%	UNE-EN ISO 13934-1
Resistencia al Desgarro (Urdimbre / Trama) / Tear Strength (Warp / Weft)	4/3 daN ± 10 %	UNE-EN ISO 13937-2
Solidez del color a la luz artificial - Xenotest / Colour fastness to artificial light - Xenotest	7-8	UNE-EN ISO 105 B02
Solidez del color a la intemperie artificial - Xenotest / Colour fastness to artificial weathering - Xenotest	4-5	UNE-EN ISO 105 B04
Repelencia al aceite / Oil Repellency	≥ 4	UNE-EN ISO 14419
Repelencia al agua / Water Repellency	≥ 4	UNE-EN ISO 4920

## ART. "SOL RAYA" - TOLDO/ AWNING 120 CM



AT RAYA 4040 NAVAL




AT RAYA 34 BLANCO-NEGRO / WHITE-GREY



AT RAYA 4038 AZUL NEUTRO



AT RAYA 5360 BOTELLA / BOTTLE



AT RAYA 288 MASELLA




AT RAYA 4330 MARRON / BROWN



AT RAYA 4104 NARANJA / ORANGE



AT RAYA 4298 MARRON



AT RAYA 446 PEREDA



AT RAYA 504 VAINILLA-BEIGE / VANILLA-BEIGE



AT RAYA 110 BLANCO-AMARILLO / WHITE-YELLOW



AT RAYA 122 BLANCO-GRIS / WHITE-GREY



AT RAYA 332 FOXI



AT RAYA 32 BLANCO-AZUL / WHITE-BLUE




AT RAYA 28 BLANCO-VERDE / WHITE-GREEN



AT RAYA 412 CABANUELAS



AT RAYA 112 BLANCO-MARRON / WHITE-BROWN



AT RAYA 24 BLANCO-ROJO / WHITE-RED



AT RAYA 422 FALAFE



AT RAYA 115 OCRE-MARRON / OCHER-BROWN




AT RAYA 1260 ZAIYARA



MUESTRA DIBUJO / DESIGN SAMPLE

# ATENZZA

## ART. "MARINE" - 150 CM



AT-MA 7178 OPTIK

AT-MA 4810 BLANCO  
WHITE

AT-MA 17336 VAINILLA  
VANILLA

AT-MA 4906 SEDA  
SILK

AT-MA 4866 INTEGRAL



AT-MA 5438 TWEED  
AVENA  
TWEED OATS

AT-MA 4830 MARRON  
BROWN

AT-MA 4884 CAFE  
COFFEE

AT-MA 7268 AMARILLO  
YELLOW

AT-MA 16500 NARANJA  
ORANGE



AT-MA 4938 PINK

AT-MA 4934 LILA

AT-MA 5504 PURPURA

AT-MA 4920  
ACQUAMARINA

AT-MA 4832 JADE




AT-MA 4836 BRISA

AT-MA 5492 INDIGO

AT-MA 4846 AZUL REAL  
ROYAL BLUE

AT-MA 4802 AZUL  
BLUE

AT-MA 5320 TWEED  
AZUL  
TWEED BLUE



AT-MA 4818 SILVER

AT-MA 4834 PERLA  
PEARL


AT-MA 4882 GRIS  
GREY

AT-MA 7198 PIEDRA  
ROCK

AT-MA 4942 TWEED  
GRIS CLARO  
TWEED LIGHT GREY

# ATENZZA

## ART. "MARINE" - 150 CM




AT-MA 4902 AVENA  
OATS

AT-MA 4822 MARFIL  
IVORY

AT-MA 4806 BEIGE

AT-MA 4904 VISON  
TAUPE

AT-MA 17466 TEJA



AT-MA 4838 ROJO  
RED

AT-MA 5458 RIOJA

AT-MA 5436 TWEED ROJO  
TWEED RED

AT-MA 4814 GRANATE

AT-MA 4812 BRASSERIE



AT-MA 5484 VERDE  
GREEN

AT-MA 5420 TWEED  
VERDE  
TWEED GREEN

AT-MA 4976 BOTELLA  
BOTTLE

AT-MA 4820 RACING

AT-MA 4940 REGATA



AT-MA 4826 MARINO  
NAVY

AT-MA 7108 COMMODORE

AT-MA 5486 TWEED  
MIGNIGHTBLUE

AT-MA 4896 ARMADA

AT-MA 4898 ADMIRAL



AT-MA 5500 MINERAL


AT-MA 4932 GRAFITO  
GRAPHITE

AT-MA 4922  
ANTRACITA  
ANTRACITE

AT-MA 4926 TWEED  
NEGRO  
TWEED BLACK

AT-MA 5762 NEGRO  
BLACK

ATENZZA



**MUESTRA CALIDAD "SOL" / QUALITY SAMPLE "SOL"**



**MUESTRA CALIDAD "MARINE" / QUALITY SAMPLE "MARINE"**



ATENZZA OUTDOOR S.L.  
NIF: B-42613471  
Pol. Ind. El Plà  
C/ Jacquard - Parcela 6 N.18 / Nave 1  
46870 Ontinyent (Valencia)  
622706746  
[at.info@atenzzaoutdoor.com](mailto:at.info@atenzzaoutdoor.com)